

CelCulture® CO₂ Incubators *Cradle for Optimal Embryo Incubation*

The CO₂ Incubator has a vital role in providing an optimal environment in embryo development during IVF and other ART procedures. Sleek, reliable and intuitive, the Esco CelCulture® CO₂ incubator is packed with outstanding features such as rapid parameter recovery, ISO Class 5 Cleanliness, ISOCIDE™ antimicrobial coating, optional Inner Door Kit that reduces contamination risk, and other accessories for specialized applications.

CelCulture® is equipped with 90°C Moist Heat Decontamination System evaluated by HPA-UK. It utilizes ULPA filter to keep the chamber at ISO Class 5 cleanliness which ensures that all contaminants are filtered and clean air is recirculated.

Key Features



Wider temperature range, from (ambient+3) temperature to 60°C above ambient.



Complete contamination control methods to protect your precious samples.



All gas inputs are filtered via 0.2micron in-line filter and ULPA filtration system.



90°C moist heat decontamination cycle, validated by HPA-UK.



CelCulture® CO₂ Incubators
available in 3 sizes, 50 L, 170 L, and 240 L.

ISOCIDE™



Floor Stand with Adjustable Feet

Nominal range of 180 mm to 250 mm (7.1" to 9.8")



Roller Base

With casters for mobility of your incubators.



Floor Stand with Casters

Support stand raises the incubator to a height of 700 mm (27.6") above the floor.



Voyager Software Kit

PC-based software for remote monitoring, data logging and programming.



Want to know more about this product? Scan the QR Code

Esco Micro Pte. Ltd.

21 Changi South Street 1 • Singapore 486 777 • Tel +65 6542 0833 • Fax +65 6542 6920
medical@escoglobal.com • esco-medical.com

Esco Global Offices: Bangladesh | China | Denmark | Germany | Hong Kong | Indonesia | Italy | Lithuania | Malaysia | Myanmar | Philippines | Russia | Singapore | South Africa | South Korea | Taiwan | Thailand | UAE | UK | USA | Vietnam